# Fişa suspiciunii de plagiat / Sheet of plagiarism's suspicion

Indexat la: 14/05

Opera suspicionată (OS)	
Suspicious work	

# Opera autentică (OA) Authentic work

OS Voinea, C., Ciucu, A., Ciucu, C., Voiculeţ, N. "Affinity Biosensor for Antitumoral Drugs Determination", *Roumanian Biotechnological Letters, Vol. 8, No.1, p.1075-1082, 2003.* OA Oliveira Brett, A.M., Serrano, H.P., Macedo, T.A., Raimundo, D., Marques, M.H., La-Scalea, M.A., "Electrochemical Determination of Carboplatin in Serum Using a DNA Modified Glassy Carbon Electrode", *Electroanalysis* 1996, Vol.8. No. 1 I, p.992-995, 1996.

Incidența minimă a suspiciunii / Minimum incidence of suspicion			
p.1075:9 – p.1075: 19	p.992:11 – p.992:25		
p.1075:23 – p.1076:43	p.992:1s – p.993:10		
p.1077:Figure 1	p.993:Fig.1		
p.1077:Figure 2	p.993:Fig.2		
Fişa întocmită pentru includerea suspiciunii în Indexul Operelor Plagiate în România de la			
<u>www.plagiate.ro</u>			

ORIGINAL PAPERS

# Affinity Biosensor for Antitumoral Drugs Determination

Received for publication, August 14, 2002 Published, September 9, 2002

C. VOINEA, A. CIUCU, C. CIUCU\*, N. VOICULEȚ\*\*

University of Bucharest, Faculty of Chemistry, Department of Analytical Chemistry, 90-92 Panduri Av., sector 5, 76235, Bucharest, Romania

\*University of Bucharest, Faculty of Physics, Bucharest, Romania

\*\* National Oncological Institute, Fundeni, Bucharest, Romania

## Abstract

An electrochemical method for the determination of the anticancer platinum drug carboplatin using a DNA-modified electrode was developed. This electrode was successfully used for the electrochemical determination of carboplatin in serum samples of patients with ovarian cancer undergoing treatment. The electrochemical results clearly demonstrated that, for low concentrations carboplatin interacts preferentially with adenine rather than guanine groups in the DNA and they can contribute to clarifying the mechanism of interaction of platinum anticancer drugs with DNA. The farmacokinetiks corresponding to the administration of the drug was followed electrochemically and the detection limit in the serum samples was  $5.7 \times 10^{-6}$ M. Due to a similar mechanism of reaction with DNA other platinum anticancer drugs can be determined by this method.

Keywords: carboplatin, DNA, anticancer drug, modified electrode

## Introduction

The objective of our work was to develop an electrochemical method for the determination of anticancer platinum drugs, namely carboplatin. The anticancer activity of *cis*- dichloroamineplatinum (II) was discovered in 1969 [1], and successes with this compound were achieved in the treatment of testicular and ovarian cancer, both with cisplatin alone and in combination with other drugs.

However, because of its toxic effect, more then 300 other platinum complexes were examined in the 1970s. Carboplatin, (*cis*-diammine-1,1-cyclobutanedicarboxilate) platinum (II) was selected for preclinical studies and it seems that less toxic effect is may be due to higher solubility in water [2].

Several analytical methods have been described for the determination of cisplatin in biological matrices using HPLC with spectrometric detection [3-9] or LC with electrochemical detection systems [10-17]; the electrochemical behaviour of cisplatin at dropping mercury [18], modified carbon paste and platinum [19] electrodes was also studied. However there are fewer studies concerning the determination of carboplatin. Direct electrochemical determination is difficult because it does not have high electrochemical

activity [11,12,15]. Only one anodic peak can be observed at very high potentials [20]. Because of this, derivatization procedures are carried out followed by analytical determination with spectrometric [6] or electrochemical [11] detection. In the latter case, carboplatin is converted to cisplatin which is then detected electrochemically.

This article describes analytical quantification of carboplatin in serum samples from women patients with ovarian cancer undergoing treatment with drugs, by using DNA-modified glassy carbon electrode.

#### **Experimental**

Calf thymus DNA (sodium salt, type I), adenosine 5'-monophosphate and guanosine 5'-monophosphate were obtained from Sigma Chemical Co. and were used without futher purification. Carboplatin was a gift from the Louisville Oncological University Hospital (150 mg/15 ml). Preparation of single stranded DNA (ssDNA) was done by the following procedure. An accurately weighed sample of approximately 3 mg of DNA was treated with 0.5 ml of pure perchloric acid. After dissolution, 0.5 ml of 9 M NaOH was then added to neutralize the solution followed by 9 ml of pH 4.6 acetate buffer.

Adenosine 5'-monophosphate and guanosine 5'-monophosphate solution of 1 mM concentration were prepared by dissolution of appropriate weight in a solution containing 40 ml of 4.5 pH acetate buffer with 5 mM of pure perchloric acid and 5 ml of 9M NaOH. Acetat buffer solution exclusion exclusion containing the precision of the pre

papered using analytical grade reagents and purified water.

Serum samples from patiets undertaking a carboplatin (CBDCA) treatment over provided by the Bucharest Oncological Hospital, and were der tot bill cological addition of 10% tichler acetic acid (1:1 v./v.). After protein provide at different times after the administration of the drug in the deproteinized serum samples. Serum blank samples were collected before the administration of the drug. The electrochemical cell contained 3.0 ml of 78 µg/ml ssDNA solution in acetate buffer electrolyte at pH 4.6 to which was added 500 µl of the deproteinized serum samples followed by standard additions of 20-50 µl of 0.027 M carboplatin in the experiments with ssDNA and 50 µl of 0.5 mM carboplatin in the experiments with adenosine. The same conditions were used in the electrochemical cell when 0.1 mM of adenosine 5'monophosphate or 0.1 mM of guanosine 5'-monophosphate was used instead of ssDNA.


The working electrode was glassy carbon with adsorbed DNA, the counter electrode was a Pt wire, and the reference electrode was a SCE, all contained in a one-compartment cell. The DNA-modified electrode was prepared by covering a glassy carbon electrode (Model MF 2010, Bioanalytical Systems, West Lafayette, IN, area 0.07 cm<sup>2</sup>) with 3 mg of DNA dissolved in 80  $\mu$ l of pH 4.5 acetate buffer and leaving the electrode to dry. After drying, the electrode was immersed in acetate buffer solution and a constant potential of +1.4V applied during 5 minutes. Then it was transferred to a solution containing single stranded DNA.

Differential pulse voltammograms were recorded, in order to assess the stability of the DNA-modified glassy carbon, in range 0 to  $\pm 1.4$  V. Differential pulse voltammograms were recorded using a Bioanalytical System Model CV-50W potentiostat. The differential pulse voltammetry conditions were: pulse amplitude 50 mV, pulse width 70 ms and scan rate 5 mV s<sup>-1</sup>.

## **Results and Discussions**


Platium compounds bind to DNA with cross links between two bases on opposite strands of the DNA helix and intrastrand cross links between two bases on the same DNA strand. The latter seems to be responsible for their antitumor activity [21]. It was shown that these reactions occur preferentially with the N7 atoms of guanine [25].

Previous studies of single stranded DNA (ssDNA) electrooxidation showed two peaks that are indentified as the oxidation peaks of guanine (+0.87 V) and adenine (+1.12 V) groups [26-28]. It is known that carboplatin binds covalently with DNA and so it seemed quite clear that it could be possible to develop an indirect analytical method to determine platinum compounds with antitumor activity by measuring this interaction. Thus a DNA- modified glassy carbon electrode was prepared and conditioned as described in the experimental section. After conditioning, stable oxidation currents were observed for the peaks corresponding to guanine and adenine when the electrode was placed in a ssDNA solution. Carboplatin was added to the solution containing ssDNA and, for concentrations used, the intercalation with adenine was very clear from the results obtained for three consecutive additions of carboplatin as shown in differential pulse voltammograms of (Figure 1).



**Figure 1**. Differential pulse voltammograms using a DNA-modified electrode of a solution of ssDNA 78 μg/ml plus carboplatin concentration of: 1) zero; 2) 84.4μM; 3) 161μM; 4) 236μM in pH 4.6 acetate buffer containing 0.5ml of 5% trichlor-acetic acid. 5) supporting electrolyte voltammogram. Pulse amplitude 50 mV, pulse width 50 ms scan rate 5 mVs<sup>-1</sup>.

The liniare range of current decrease is  $7.7 \times 10^{-6}$  M to  $2.4 \times 10^{-3}$  M. There is a decrease in the oxidation currents of adenine with increasing the concentration of the antineoplasitic drug in solution while the guanine oxidation currents only decrease slightly. This is illustrated in (Figure 2).



Roum. Biotechnol. Lett., Vol. 8, No. 1, 1075-1082 (2003)

The values on the y axis are the variation in current corresponding to the difference between the current observed initially, before the adition of carboplatin, and after the adition of carboplatin ( $\Delta I = I_{initial} - I_{carb}$ ). The response range for the determination of carboplatin in serum samples by the standard addition method using ssDNA solutions was in the range 6.5 x 10<sup>-5</sup>M to 1.5 x 10<sup>-3</sup>M. No surface fouling by serum was observed.

Real samples were then employed to test the method. The experiments were preformed in the conditions described in the experimental section. Differential pulse voltammograms, (Figure 3), showed, besides the usual peaks for guanine and adenine, a new peak at a potential of +0.43V that corresponding to uric acid existing in serum and coming from normal human metabolism.




Figure 3. Diferential pulse voltammograms using a DNA-modified electrode of a solution of ssDNA, 78 μg/ml and 400 μl of serum from a patient plus carboplatin concentrations of: 1) zero; 2) 0.39 mM; 3) 1.1 mM; 4)
1.5mM; in pH 4.6. acetat buffer containing 0.5 ml of 5% trichloracetic acid. Pulse amplitude 50 mV, pulse width 50 ms, scan rate 5 my s<sup>-1</sup>.

The calibration plot is presented in (Figure 4) and, again, the interaction with adenine is much higher than with guanine. The evaluation of the pharmacokinetics of the drug during treatment is in (Figure 5), for two patients, and an exponential type decay was observed as expected. It is interesting to note that the levels of carboplatin in the serum vary slightly between patients which is not surprising and is due to different stages of the disease and individual reaction to the treatment.




Figure 4. Calibration plots for the decrease in the adenine (v) and guanine (o) peak current coresponding to the addition of carboplatin to a 78  $\mu$ g/ml solution of ssDNA and 400  $\mu$ l of serum from a patient in pH 4.6 acetate buffer containing 0.5 ml of 5% trichloracetic acid.





Figure 5. Pharmacokinetic curves obtained using a DNA-modified electrode in a solution of ssDNA with serum for two patients undertaking treatment with carboplatin.

The results obtained using electrochemical methods, cleary indicate preferential interaction of carboplatin with the adenine groups in the ssDNA solution, during the time scale of the voltammetric experiments, i.e., less than 10 min, and almost no reaction with guanine groups. Results described by former workers using NMR and longer reaction time [21-24], showed a preferential interaction of carboplatin with the guanine groups. In order to clarify this apparent contradiction we studied the interaction of carboplatin with the nucleotides adenosine 5'-monophosphate and guanosine 5'-monophosphate separately. The concentrations of the nucleotides were 0.1 mM signifying a small molar carboplatin/nucleotide ratio.

From the results obtained, (Figure 6), the conclusion is that for low concentrations of carboplatin (~  $10^{-6}$  M) there is a preferential interaction with adenosine which is proportional to concentration and that saturates at higher concentrations. The shape of this plot suggests the formation of a complex between carboplatin and adenosine. The guanosine carboplatin interaction for low concentration of carboplatin is much less but increases steadily even at higher concentrations where the interaction with adenosine is not increasing measurably. Considering that previus researchers [21-24], mainly because of the specifications of the methods they were using, always used concentrations of carboplatin three orders of magnitude higher,  $10^{-2}$ -  $10^{-3}$  M, there is, effectively, no discrepancy with the results. It also shows that the electrochemical methods can throw light on this type of mechanism as they enable much lower concentrations of the analytes to be used. In fact, the linear response range for the determination of carboplatin by the standard addition method using the nucleotide adenosine 5'- monophosphate solution in aqueous solution or in serum samples is in the range of 5.7 x  $10^{-6}$  M to  $4.0 \times 10^{-5}$  M.



**Figure 6.** Calibration plots for the decrease in the adenosine (v) or guanosine (o) peak current coresponding, repectively, to the addition of carboplatin to a solution of nucleotides adenosine 5'-monophosphate or guanosine 5'-monophosphate in a pH 4.6 acetate buffer containing 0.5 ml of 5% trichloracetic acid.

Roum. Biotechnol. Lett., Vol. 8, No. 1, 1075-1082 (2003)

Instead of using the nucleotides adenosine 5'-monophosphate or guanine 5'monophosphate we also did the same experiments for carboplatin with the free bases guanine and adenine. However, no linear relationship between the decrease in the oxidation currents with increasing concentration of carboplatin was observed meaning that other groups are involved in the interaction reaction and contribute to the stabilization of the products.

After these experiments it seemed that in order to determine carboplatin in serum samples of patients with cancer disease it was not necessary to quantify the interaction with ssDNA as we could easily use the nucleotide adenosine 5'- monophosphate. This is very important as it is much less expensive than ssDNA, and simplifies HPLC separation used in conjunction with electrochemical detection. The stability and reproductibility of the adenine peak without the drug using the DNA-modified glassy carbon electrode was excellent.

The DNA-modified electrode was used to determine the concentration of carboplatin in serum sample of a third patient following administration of carboplatin using the standard addition method and following interaction with nucleotide adenosine 5'- monophosphate. To determine the linear response range in the biological matrix, a calibration plot done using the nucleotide adenosine 5'- monophosphate solution plus serum sample that was collected before the administration of the drug, (**Figure 7**), and standard addition was used to determine the concentration of carboplatin containing serum collected at different times after administration of the drug.




Figure 7. Calibration plots for the decrease in the adenine and guanine peak current coresponding to the standard addition of carboplatin to a 0.1 mM solution of nucleotide adenosine 5'-monophosphate and 500 μL of serum from a patient in acetate buffer pH 4.6 containing 0.5 ml of 5% trichloracetic acid: serum of the patient (v) before and (o) 8 h after administration of carboplatin.

The pharmacokinetic curve is presented in (Figure 8), and shows that in a 72 h period the concentration of the drug decreased exponentially with time as expected. However, more than 72 h after administration of the drug the concentration of carboplatin in the serum samples is lower then the detection limit of  $5.7 \times 10^{-6}$  M and could not be determined.




Figure 8. Pharmacokinetic curve obtained using a DNA-modified electrode in a solution of the nucleotide adenosine 5'-monophosphate with serum for a patient undertaking treatment with carboplatin.

### Conclusions

The DNA- modified electrode can be used for electrochemical determination in serum samples of patients with cancer undergoing treatment with carboplatin. The pharmacokinetics corresponding to the administration of the drug can be followed by electrochemical methods and the detection limit in serum samples is  $5.7 \times 10^{-6}$  M. Other platinum anticancer drugs can be determined by this method but this does not create problems of selectivity since they will not be given simultaneously to the patient and the electrochemical method can always be used in a flow system in conjuction with HPLC separation. Besides the electroanalytical merits of this method it is clearly demonstrated that, for low concentrations, carboplatin interacts preferentially with adenine rather than guanine grups in the DNA and that electrochemical methods can contribute to clarifying the mechanism of interaction of platinum anti-cancer drugs with DNA.

# References

- 1. B. Rosenberg, L. Van Camp, T. Krigas, *Nature*, 205, 1965, 698-705.
- 2. K. R. Harrap, Cancer Treat. Rev., 12, 1985, 21-26.
- 3. S. J. Bannister, L.A. Sternson, A. J. Repta, J. Chromatogr., 173, 1979, 333-340.
- 4. C. M. Riely, L. A. Sternson, A. J. Repta, J. Chromatogr., 217, 1981, 405-411.
- 5. O. H. Drummer, A. Prodfood, L. Howes, W. J. Louis, *Clin. Chim. Acta.*, **136**, 1984, 65-71.
- 6. K. C. Marsh, L.A. Sternson, A. J. Repta, Anal. Chem., 56, 1984, 491-498.
- 7. W. R. L. Cairns, L. Ebdon, A. J. Repta, Anal. Proc., 31, 1994, 295-301.
- 8. C. M. Riely, L.A. Sternson, A. J. Repta, R. W. Siegler, *J. Chromatogr.* Biomed. Appl., **299**, 1982, 373-381.
- 9. W. A. J. De Waal, F. J. M. J. Maessen, J. C. Kraak, J. Chromatogr., 407, 1987, 253-261.
- 10. W. N. Richmond, R. P. Baldwin, Anal. Chim. Acta, 154, 1983, 133-140.
- 11. I. S. Kurull, X. D. Ding, S. Braverman, C. Selavka, F. Hochberg, L.A. Sternson, J. Chromatogr. Sci., 21, 1983, 166-171.

Roum. Biotechnol. Lett., Vol. 8, No. 1, 1075-1082 (2003)

1081

- 12. S. J. Bannister, L.A. Sternson, A. J. Repta, J. Chromatogr., 273, 1983, 301-309.
- 13. P. J. Parsons, A.F. LeRoy, J. Chromatogr., 378, 1986, 395-402.
- 14. G. M. Smith, D. R. Atherton, Anal. Chem., 58, 1986, 1956-1962.
- 15. P. J. Parsons, P. F. Morrison, A. F. LeRoy, J. Chromatogr., 385, 1987, 323-330.
- 16. P. O'Dea, P. Sheran, S. Duune, M. R. Smyth, Analyst, 113, 1988, 1791-1799.
- 17. K. Diuga, J. -M. Kauffmann, G. Ghanem, C. J. Patriarche, J. Liquid Chromatogr., 153, 1992, 295-301.
- 18. V. Barbec, V. Vettrel, V. Kleinwächter, J. Reedijk, *Bioelectrochem. Bioeng.*, 21, 1989, 19-25.
- 19. F. Mebsout, J.-M. Kauffmann, G. Ghanem, G. J. Patriarche, *J. Pharm. Biomed. Anal.*, **6**, 1988, 441-450.
- 20. F. Mebsout, J.-M. Kauffmann, G. Ghanem, G. J. Patriarche, J. Pharm. Biomed. Anal., 5, 1987, 223-230.
- 21. P. J. Stone, A. D. Kleman, F. M. Sinex, *Nature* (London), 251, 1974, 736-741.
- 22. S. Mansy, G. Y. H. Chu, R. E. Duncan, R. S. Tobias, J. Am. Chem. Soc., 100, 1978, 607-615.
- 23. S. E. Sherman, J. S lippard, Chem. Rev., 87, 1987, 1153-1161.
- 24. W. M. Scovell, T. O'Connor, J. Am. Chem. Soc., 99, 1977, 120-128.
- 25. D. P. Bancroft, C. A. Lepre, S. J. Lippard, J. Am. Chem. Soc., 112, 1990, 6860-6871.
- 26. C. M. A. Brett, A. M. Oliveira Brett, S. P. H. Serrano, J. Electroanal Chem, 366, 1994, 225-231.
- 27. A.Ciucu, C.Voinea, DNA Biosensor for Antitumoral Drugs Detection, Fac. of Chem, Aniversary of 50 years, Bucharest, Romania, 1998.
- 28. C. Voinea, A. Ciucu, *Biosenzor de Afinitate pentru Determinarea unor Medicamente*, National Condeference of Analytical Chemistry, Iași, Romania, 1999.

#### **ROUMANIAN BIOTECHNOLOGICAL LETTERS**

- an international journal-

No. 1

Volume 8

January-February 2003

## CONTENTS

DELIA-IRINA COROL, I. I. DOROBANTU, N. TOMA, ROZALIA NITU -			
Diversity of Biological Functions of Carotenoids			
<b>C. VOINEA, A. CIUCU, C. CIUCU, N. VOICULEȚ -</b> Affinity Biosensor for Antitumoral Drugs Determination			
MONICA NEAGU, GINA MANDA, ALEXANDRA LIVESCU, CAROLINA CONSTANTIN, MARINA T. NICHIFOR, ISABELA TAMSULA, MONICA POPESCU, CRISTINA TANASEANU- The Involvement of Reactive			
Oxygen Species in the Development of Unstable Angina			
M. STANCIC-ROTARU , M. MITITELU, M. CRASMARU, D. BALABAN			
- Spectroanalytical Profile of Flavonoids from <i>Chelidonium majus L.</i>			
I. I. DOROBANTU, DELIA-IRINA COROL - The Antiprogesterone Antibody - Progesterone System; RIA Method in Evaluation of Some Kinetic and Thermodynamic Parameters			
<b>OLIMPIA MARIANA MICU, OANA ADRIANA JINGA, ANCA VALUTA,</b> IOANA JITARU - Aliphatic and Piperidinic Phenothiazine Drugs as Ligands for Copper(II) Ions			
CĂLINA PETRUȚA CORNEA, IRINA GREBENIȘAN,			
RODICA MATEESCU, VAMANU, E, CÂMPEANU, G Isolation			
and Characterization of New Bacillus spp. Strains – Useful as			
Biocontrol Agents of Plant Pathogens			
S. BUZATU, V. DARIE - Is the Facilitated Diffusion Exclusively a Passive Membrane Transport Mechanism?			
ENUTA IORGA, NASTASIA BELC, ALEXANDRU STANCOV,			
L. ENACHE, GH. CAMPEANU - Synergistic Effect of			
Bacterial and Fungal Amylases on Breadmaking			
GINA MANDA, MONICA NEAGU, ALEXANDRA LIVESCU, CAROLINA CONSTANTIN, C. CODREANU, MARINA NECHIFOR Receptor and Dose-Dependent Effects Exerted <i>In Vitro</i> by Methotrexate			
on Human Immune Cells			
Diary of Events			
With the With the second			
Cover 1: The Bucharest University Building			

>

DOIONH

EC

0

B |

D Z

≺

5

0

ΟW

CENTI ENZY/

Ζ

I

C 2 ∢

ш S

ш  $\mathbf{z}$ 

 $\sim$ 0

ш

ш 2

2003

No. 1

Vol. 8


**ROUMANIAN BIOTECHNOLOGICAL LETTERS** 

Volume 8

No. 1

2003

# ROUMANIAN **BIOTECHNOLOGICAL LETTERS**



an international journal

Dumitru

# **ROUMANIAN BIOTECHNOLOGICAL LETTERS**

# - an international journal-

Volume 8	No. 1	January-February 2003	
CONTENTS			
<b>DELIA-IRINA COROL, I. I. DOROBANTU, N. TOMA, ROZALIA NITU</b> - Diversity of Biological Functions of Carotenoids			
		ULEŢ - Affinity Biosensor for 	
MONICA NEAGU, GINA MANDA, ALEXANDRA LIVESCU, CAROLINA CONSTANTIN, MARINA T. NICHIFOR, ISABELA TAMSULA, MONICA POPESCU, CRISTINA TANASEANU- The Involvement of Reactive Oxygen Species in the Development of Unstable Angina			
		CRASMARU, D. BALABAN helidonium majus L1093	
I. I. DOROBANTU, DELIA Antibody - Progesterone Syste and Thermodynamic Parameter	em; RIA Method in		
<b>OLIMPIA MARIANA MICU, OANA ADRIANA JINGA, ANCA VALUTA,</b> IOANA JITARU - Aliphatic and Piperidinic Phenothiazine Drugs as Ligands for Copper(II) Ions			
CĂLINA PETRUȚA CORNEA, IRINA GREBENIȘAN, RODICA MATEESCU, VAMANU, E, CÂMPEANU, G Isolation and Characterization of New <i>Bacillus spp.</i> Strains – Useful as Biocontrol Agents of Plant Pathogens			
S. BUZATU, V. DARIE - Is Membrane Transport Mechan		usion Exclusively a Passive	
ENUTA IORGA, NASTASI L. ENACHE, GH. CAMPE Bacterial and Fungal Amylase	ANU - Synergistic		
GINA MANDA, MONICA NEAGU, ALEXANDRA LIVESCU, CAROLINA CONSTANTIN, C. CODREANU, MARINA NECHIFOR Receptor and Dose-Dependent Effects Exerted <i>In Vitro</i> by Methotrexate on Human Immune Cells			
Diary of Events			
Cover 1: The Bucharest University Building			

#### **EDITORIAL BOARD**

#### Stefana JURCOANE PhD, Chief Editor, University of Agronomical Sciences and

Veterinary Medicine, Bucharest, Romania, E-mail: jstefana@yahoo.com

#### Nicolae CORCIONIVOSCHI MD, PhD Managing Editor, National Children's Research Centre, Dublin, Ireland E-mail: nicolae.corcionivoschi@ucd.ie

#### **Associated Editors**

Luis Alvarez, MD, PhD E-mail: luis.alvarez@ucd.ie

Laura Dinu PhD

E-mail: lauradinu@hotmail.com

Gabriela Tenea, PhD

**E-mail:** tenea.gabriela@gmail.com

Sanda Maria Cretoiu, MD, PhD E-mail: sanda@cretoiu.ro Ana Rosu PhD E-mail: anabiotech@yahoo.com

#### **Editors**

TATIANA VASSU E-mail: vassut@yahoo.com

ANNEMARIE O'DONNELL E-mail: annemarie.odonnell@ucd.ie

**TODD CALLAWAY E-mail:** Todd.Callaway@ARS.USDA.GOV

JOANNA FAY, Ireland E-mail: joannafay@rcsi.ie

ANCA DINISCHIOTU E-mail: dinischiotu@yahoo.com

**MONA POPA E-mail:** pandry2002@yahoo.com

JOVANKA LEVIC E-mail: jovanka,levic@fins.uns.ac.rs

M.H. FULEKAR E-mail: mhfulekar@yahoo.com

**GABRIELA BAHRIM E-mail:** gabriela.bahrim@ugal.ro ILEANA STOICA E-mail: ileana: stoica@bio.unibuc.ro

ERKAN SAHINKAYA E-mail:erkansahinkaya@yahoo.com

MARIA MEEHAN E-mail: mariahmeehan@rcsi.ie

JAN GOSEMANN E-mail: gosemann.jan@mh-hannover.de

HORST A. DIEHL E-mail: horst.diehl@physik.uni-bremen.de

**GABRIEL LUCIAN RADU E-mail:** glradu2006@gmail.com

CARMEN SOCACIU E-mail: carmen.socaciu@usamvcluj.ro

CONSTANTA GANEA E-mail: constanta.ganea@gmail.com

BACH SUSAN JOAN E-mail: susan.bach@agr.gc.ca

The Journal is covered by Thomson Reuters services. ISSN 1224 – 5984

### PUBLISHED WITH THE FINANCIAL SUPPORT OF THE NATIONAL SCIENTIFIC RESEARCH AUTHORITY

Founding Editor: IOAN I.F. DUMITRU, PROF. BSc. DSc. PhD.